

3 - POINT QUICK HITCH

ASSEMBLY AND OPERATING INSTRUCTIONS





WARNING: Read carefully and understand all INSTRUCTIONS before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.

Due to continuing improvements, actual product may differ slightly from the product described herein.

SAFETY WARNINGS AND PRECAUTIONS



WARNING: When using tool, basic safety precautions should always be followed to reduce the risk of personal injury and damage to equipment.

Read all instructions before using this tool!


- 1. **Keep work area clean.** Cluttered areas invite injuries.
- 2. **Store idle equipment.** When not in use, tools must be stored in a dry location to inhibit rust.
- 3. **Use the right tool for the job.** There are certain applications for which this tool was designed. It will do the job better and more safely at the rate for which it was intended.
- 4. **Maintain tools with care.** Keep tools clean for better and safer performance. Follow instructions for lubricating and changing accessories.
- 5. Check for damaged parts. Before using any tool, any part that appears damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment and binding of moving parts' any broken parts or mounting fixtures and any other condition that may affect proper operation. Any part that is damaged should be properly repaired or replaced.
- 6. **Replacement parts and accessories.** When servicing, use only identical replacement parts. Only use accessories intended for use with this tool. Double HH Quick Hitch Adapters are also available. Check with your distributor or local farm supply store for more details.

PRODUCT SPECIFIC SAFETY PRECAUTIONS

- 1. **Moving parts can cause injury.** Keep hands, hair, loose clothing, and tools away from moving parts of the Hitch. Keep spectators away at a safe distance.
- 2. Use the Hitch on a proper surface. Locate on a flat, level, and solid surface that is capable of supporting the weight of the Hitch & attached implement, plus the load.
- 3. Avoid accidents white using the Hitch and its attached implement. This product is for off-road use only.



WARNING: The warnings, cautions, and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.




INSTALLATION

Note: It is recommended that 2 people assist in the setting up of this product.

- 1. Fasten the Quick Hitch to the tractor's lift arms using the Lift Arm Pins and Solid Link Pins (3). See illustration above.
- 2. Fasten the tractor's Top Link to the top bracket of the Quick Hitch using the Top Link Pin.
- 3. Install a common Top Link Pin on the implement's top framework for the Quick Hitch Top Hook to grab on. Note: This Top Hook is adjustable.
- 4. Insert the implement's lower mounts inside the hitch hooks, and lock by pressing down the latch handles.
- 5. Check that all connections are tight before starting the work task.


Note: If the tractor has stabilizer arms, they will not fit into the Quick Hitch mounting area along with the lift arms. For this reason, use stabilizer chains, or some other common, longer Mounting Pin (not provided) to fasten the Quick Hitch to the tractor.



MAINTENANCE

- 1. Clean dirt and debris off the Quick Hitch after each use.
- 2. Store in a clean and dry location.
- 3. Periodically lubricate all moving parts.
- 4. After each use check for damaged or overly worn parts. Never use the Quick Hitch or attached implement if damaged or worn parts are noted.

DIAGRAM & PARTS LIST



REF. NO.	DESCRIPTION	QTY
1	Main Frame Weldment	1
2	Bolt M12x65	2
3	Link Pin	2
4	Lynchpin	3
5	Hook	1
6	Nut M12	2
7	Lock Washer 12	2
8	Top Link Pin	1

For replacement parts and technical questions, please call **1-800-397-8691**.